

FASHION DESIGN


pierre cardin

66



Tuscan Wood Flooring Collection


The Tuscan Collection offers a beautiful range of stunning surfaces and finishes to suit both traditional and contemporary interiors, bringing elegance and style to your home.



The elegance of a traditional chevron or herringbone floor.



Extra-wide planks which instil a sense of luxury.





The beauty of solid wood combined with the benefits of engineered flooring.

Ordering your Tuscan Flooring samples couldn't be simpler, just email us at:

samples@tuscanflooring.co.uk



Contents




A classic collection that creates a stunning interior in any setting.



The rustic, time worn effect of an original wood floor from yesteryear.



Tuscan Wood Flooring Collection - Overview



TF519 Barn Oak White Washed



Plank size: 18 x 125mm x Random lengths 400mm - 1200mm Pack size: 2.20m²

TF20

Rustic Oak

Terreno

FS

LA

HD

LA





Plank size: 14 x 180 x 2200mm Pack size: 2.77m²



FS

LA



TF103 White Washed Oak



Country Grey Washed Oak

FS

LA



Country Bleached Oak



TF112



Warm Oak



Vintage

â 3 25 **4**V Plank size: 15 x 190 x 1900mm

Pack size: 2.88m²

Vintage





BR ML

TF201 Light Smoked



TF202 Dark Smoked



Light Smoked



TF22* Rustic Oak



TF23** Rustic Oak



TF110*** American Walnut

* Plank size: 20 x 190mm x Random lengths

Plank size: 20 X 190mm X kandoom lengths 400mm - 1200mm. Pack size: 1.80m² ** Plank size: 18 X 150mm X Random lengths 400mm - 1200mm. Pack size: 2.31m² ** Plank size: 14 X 127mm X 1200mm. Pack size: 1.22m² (Not FSC[®])







Grey White Washed Oak



TF120^



TF121^ White Oak ^Plank size: 14 x 207mm x 2200mm Pack size: 3.18m²



Family Oak 4V BR

ML



TF100

TF102

Natural Oak

Family Oak



TF106^ 3 Strip Family Oak





TF40 Natural

Se .

Modelli Chevron

Our Modelli Chevron floors offer a beautifully crafted design in sophisticated natural or darker oaks. The elegant pattern gives a luxurious European feel whilst meeting the modern trend for geometric designs.

Easy to install, Modelli Chevron helps to create the illusion of space and make narrow spaces appear wider. In addition, the combination of a 25 year warranty and breathtaking style means that you won't have to replace it to suit different interior design schemes – Modelli Chevron is truly a timeless investment.



Plank size: 15 x 190 x 450mm Pack size: 0.81m²



Natural





Light Smoked





TF42 Dark Stained



TF31 Smoked Oak

4

Modelli Herringbone

The Modelli Herringbone range offers flooring with real character and a traditional feel, forming a focal point that will beautifully transform any room, in any home.

Its elegant design catches the eye to deliver impressive, iconic looks with a real 'wow' factor. A choice of two oiled finishes beautifully complement the surface grain to complete a stunning effect every time. Modelli Herringbone is a captivating and confident statement of style.



Plank size: 15 x 122 x 610mm Pack size: 0.89m²



TF30 Smoked Oak & Black Stained





Smoked Oak



TF311 White Smoked Oak

1 34

Grandé

Our versatile Grandé range can be installed directly over existing floor joists - the 20mm thickness enables it to be used as a load bearing floor without floor boards underneath, meaning it is perfect for refurbishment and renovation projects.

Grandé's wide boards open up smaller spaces like bedrooms, adding a sense of luxury and sophistication with their light to dark tones. They're durable too, as they are pre-coated with a hardwearing UV oil as standard.



Plank size: 20 x 220 x 2200mm Pack size: 1.93m²



Natural Oak



TF301 Dark Smoked Oak





Rustic Oak



White Smoked Oak





Forte

With a variety of plank lengths, the Forte range offers the character of solid wood flooring at a fraction of the cost. It's versatile, with colours to suit every application – and easy to fit, even in tight spaces, thanks to its 5GC installation system with push down joints and strong, stable end joints.

All Forte items feature an enhanced Tressert lacquer to enrich the visual and textural appeal of the wood's natural grain, whilst assuring surface protection and durability.





 $Plank\ size:\ 15\ x\ 150mm\quad Random\ lengths\ 400mm\ -\ 1200mm\quad Pack\ size:\ 1.44m^2$

Featuring Välinge 5GC profile technology for fast, easy and strong click installation.



TF511 Natural White Oak TF512 Natural White Oak BR LA HS LA



TF513 Barley **TF514** Barley





Toffee TF516 Toffee





TF517 Light Grey





TF518 Truffle













Terreno

Capture all the character of a solid wood floor at a fraction of the cost. Terreno comes in a variety of realistic plank lengths achieving a natural and authentic look.

With a broad choice of classic colour options, Terreno flooring is ideal for every area of the home apart from the bathroom. It's practical too, as the multiply core provides stability and reduces the natural movement of the wood.



Plank size: 18×125 mm x random lengths 400mm - 1200mm Pack size: $2.20m^2$



TF20 Rustic Oak



TF21 Golden Oak



TF22* Rustic Oak





TF23** Rustic Oak



BR UV







Strato Classic

Style and good looks lie at the heart of this versatile Strato range. Whether it's a classic or contemporary effect you are seeking to create, these beautiful boards will consistently enhance the feeling of luxury throughout the home.

Choose from the natural wood forms of Family, the prominent wood grain of Brushed or the narrow plank effect of 3 Strip. They are all Classic designs.



Plank size: 14 x 180 x 2200mm Pack size: 2.77m²



TF100 Natural Oak





TF104 Family Oak





Family Oak



TF106^ 3 Strip Family Oak



Strato Warm

With its wonderfully welcoming, relaxed yet stylish look and feel, Strato Warm flooring helps you create a comfortable and homely environment that's simply perfect for living rooms and bedrooms.

There's a great range of colour tones to choose from too - everything from the popular contemporary looks of Grey Washed Oak and Bleached Oak through to darker, more traditional shades.



Plank size: 14 x 180 x 2200mm Pack size: 2.77m²



TF103 White Washed Oak



Country Grey Washed Oak



TF109 Country Bleached Oak






TF112 Grey White Washed Oak





FS IA







Vintage

The Vintage range helps you create the look and style of vintage flooring - with the added benefits of the strength, stability and guarantees that feature throughout our Tuscan Collection.


Vintage offers you a beautiful, natural oak wood floor with a collection of enhanced hand scraped and brushed finishes to give that slightly distressed look. It's smoked boards deliver a richer colour throughout the plank - not just on the surface, as with stained products.



Plank size: 15 x 190 x 1900mm Pack size: 2.88m²



Natural





TF202 Dark Smoked



TF203 Light Smoked

ESB UV



Installation products

Our comprehensive range of quality profiles provide a smart finish to our floors. Solid wood trims create a smooth transition wherever needed, available in a selection of complementary colours.



T-section

Also known as a T-bar or Twin profile, this covers the gap between two floors of equal height such as in doorways, over expansion gaps or as a room divider.



Ramp section

Sometimes referred to as an Adaptor or Reducer, this provides a neat transition between two floors of varying height.



Scotia

Ideal for hiding the expansion gaps around the edge of a room, for example if the skirting board wasn't removed and replaced when the floor was fitted.



Sika Adhesives

European manufactured adhesives specifically designed for gluing down hardwood flooring.

Our profiles undergo stringent selection processes to ensure they meet the highest quality standards and complement our flooring as closely as possible. However, as with all wood products, they are subject to natural colour and grain variations.

Cleaning and maintenance products

Bona

Wood floor

Bona wood floor cleaning kit

Designed for regular maintenance of all Tuscan lacquered and UV oiled floors.

Bona wood floor refreshers

For occasional refreshing of your Tuscan lacquered and UV oiled floors.



Care and maintenance

Vacuum, sweep or dust mop your floor as and when required. The vacuum head must be brush or felt and a wand attachment is preferable. Do not use vacuums with beater bars or hard heads.

Spills and tracked-in dirt should be wiped up immediately.

Use interior and exterior doormats at all entrances to collect dirt and moisture and prevent it from being tracked onto the floor.

Never use any of the following products (or products similar in nature) on your floor: ammonia-based cleaners, acrylic finishes, wax-based products, detergents, bleach, polishes, abrasive cleaning soaps, or acidic materials such as vinegar.

All Tuscan floors are manufactured from natural products and can be damaged by high heels, pets and inadequate maintenance. Keep animal nails trimmed to minimise scratches to the surface.

Use furniture feet protector pads under all furniture and make certain to keep them clean and well maintained.

Keep the relative humidity in your home between 35% and 55%. If water is spilled onto the floor, wipe up immediately as water may permanently damage the floor.

Direct sunlight can alter the appearance of your floor. Always refer to the Tuscan recommended maintenance procedures which can be downloaded from www.tuscanflooring.co.uk.

Installation

Installation instructions are included with every pack of Tuscan flooring and copies of the instructions are available to download from www.tuscanflooring.co.uk.

Warranty

A copy of the warranties for Tuscan wood floors are available to download from www.tuscanflooring.co.uk.



Environmentally sustainable & quality assured

Tuscan is much more than a beautiful floor. It also comes with first class environmental credentials in the form of FSC[®] certification, guaranteeing the timber is harvested from responsibly managed forests.

Quality assurance

Tuscan flooring offers outstanding quality and peace of mind. In fact, we're so confident in the quality of our flooring that the entire collection boasts an incredible 25 year residential use warranty against manufacturing defects.



All warranties are subject to terms and conditions, including fitting as per the installation instructions. Copies of the associated product warranties are available to download at www.tuscanflooring.co.uk

Environmentally sustainable

With Tuscan you get much more than just a beautiful floor, as first class environmental credentials come as standard:*

- O FSC[®] certification guarantees the timber is harvested from responsibly managed forests.
- *O* EUTR (European Union Timber Regulations) compliant.
- O A new tree sapling is planted for every pack of Tuscan engineered flooring produced.
- Our manufacturing processes are streamlined to ensure maximum yield from all natural materials, minimising waste.



Look for FSC[®] certified products

For further information about our commitment to the environment, please visit www.tuscanflooring.co.uk

*Excluding TF110 American Walnut

Disclaimer

The Tuscan Flooring Collection is manufactured from carefully selected materials, and subject to stringent quality control procedures. However, as wood is a natural material product the colour and grain may vary, and knots and other characteristics may be present including filler. Due to variables in the photographic and printing processes, colours shown in this brochure may vary slightly from the actual product. We reserve the right to amend any details or product specifications without prior notice.

Product overview

We understand how hard it can be to select the right flooring for your application. With such an extensive range of surface textures, structures, finishes, edge and joint options it's important you select the right combination to ensure you achieve the desired outcome. We have developed a range of easy to identify 'icons' which we display against all of our flooring ranges, this will allow you to quickly make the right choice for your application.





C	-	
	3	PLY

Structure

A triple layered product, consisting of a top surface of solid hardwood bonded to a softwood core with veneer backing to create a stable wood flooring solution.



Featuring a top surface of solid wood bonded to multiple layers of cross-laid ply to create a highly stable hardwood flooring solution.



	1
- 6	E
	-

Flat sanded

A smooth, sleek and even surface that retains the inviting texture of the wood.



Hand distressed

A hand textured surface that evokes the mellowed and time worn surface of a floor from yesteryear.





The surface of the boards are wire brushed to bring out the surface grain, creating rich textural appeal.





Saw marked

Saw marks are made to the top level of the floor, perpendicular to the woodgrain, haphazardly and in varied depths.





Hand scraped processes texture the surface creating a time worn look, that celebrates the natural character of hardwood.





Enhanced hand scraped & brushed

Deeper hand scraping to the surface and around filled knots creates a unique look of a floor rich in history.

\mathcal{O} Surface finish

All finishes are multi-coat applications



Lacquered

This creates a higher sheen, with light bouncing off the hardwearing and durable surface.



Matt lacquered A modern, matt finish that's long-lasting but allows the natural beauty of the floor to come through.



UV oiled The classic beauty of an oiled finish, combined with the resilience of a UV cured coating.



Wax oiled

A traditional ultra matt, tough finish which also creates an inviting charm and warmth.

0 Bevel edge



Square edge

There are no grooves or gaps between the planks of the flooring boards, virtually erasing the joint lines.



2V Bevelled edges along the length of the boards.

4 V

4V Featuring noticeable bevelled edges to all 4 sides of each board.



4V micro Featuring discreet

bevelled edges to all 4 sides of each board.





Click The original floating floor click system.



Drop loc Quick and easy to install self locking system.



Tongue & groove Classic easy locating joint system.



5GC Featuring Välinge 5GC profile technology for fast, easy and strong click installation

O Underfloor heating



Electric mat

Flooring is suitable for use over electric mat underfloor heating systems in accordance with the manufacturer's installation instructions.



Water piped

Suitable for use over water piped underfloor heating systems set in concrete screed, in accordance with the manufacturer's installation instructions.

Colour chart

Modelli Chevron

Plank size: 15 x 190 x 450mm Pack size: 0.81m²



BR UV



TF41 Light Smoked



TF42 Dark Stained



25 VEARS

Modelli Herringbone

Plank size: 15 x 122 x 610mm Pack size: 0.89m²



TF30 Smoked Oak & Black Stained





BR UV

 $Plank \ size: \ 20 \ x \ 220 \ x \ 2200 mm \ Pack \ size: \ 1.93 m^2$




TF300 Natural Oak





TF301 Dark Smoked Oak





TF310 Rustic Oak





£

25 VEARS

 \mathbf{z}

TF311* White Smoked Oak

M

25 VEARS

5GC

4V MICRO

Forte

Plank size: 15 x 150mm Random lengths 400mm - 1200mm Pack size: 1.44m²



TF511 Natural White Oak BR LA TF512 Natural White Oak HS IA











TF517 Light Grey SM LA



TF518 Truffle

BR



TF519 Barn Oak White Washed

LA BR

Terreno

Plank size: 18 x 125mm x random lengths 400mm - 1200mm Pack size: 2.20m²









Golden Oak







Rustic Oak

BR UV

4V MICRO



TF110*** American Walnut

4V 💽 💽 🗖

*Plank size: 20 x 190mm x random lengths **Plank size: 18 x 150mm x random lengths ***Plank size: 14 x 127 x 1200mm Pack size: 1.80m² Pack size: 2.31m² Pack size: 1.22m²(Not FSC[®])

37

Colour chart

Strato Classic

Plank size: 14 x 180 x 2200mm Pack size: 2.77m²



TF100 Natural Oak





TF102 Family Oak





TF104 Family Oak



TF106^ 3 Strip Family Oak



5GC 🎽

SE

Strato Warm

Plank size: 14 x 180 x 2200mm Pack size: 2.77m²



TF103 White Washed Oak FS 🗖



TF108 Country Grey Washed Oak





TF109 Country Bleached Oak



8

25 VEARS

WATER FIFED







TF120^ Warm Oak





TF121^ White Oak



Vintage

Plank size: 15 x 190 x 1900mm Pack size: 2.88m²







Light Smoked



4V





ॼ

42



Ordering your Tuscan Flooring samples couldn't be simpler, just email us at: **samples@tuscanflooring.co.uk**

Please note: Maximum of 3 samples per request.

Disclaimer

The Tuscan Flooring Collection is manufactured from carefully selected materials, and subject to stringent quality control procedures. However, as wood is a natural material product the colour and grain may vary, and knots and other characteristics may be present including filler. Due to variables in the photographic and printing processes, colours shown in this brochure may vary slightly from the actual product. We reserve the right to amend any details or product specifications without prior notice.



 $www.tuscanflooring.co.uk \hspace{0.1in} | \hspace{0.1in} info@tuscanflooring.co.uk \hspace{0.1in} | \hspace{0.1in} samples@tuscanflooring.co.uk \hspace{0.1in} | \hspace{$

Whilst every care has been taken to ensure that the information included in this document was accurate at the time of printing, we reserve the right to change product specifications at any time without prior notice. The photographs reproduced in this publication are within the constraints of the printing process and are not to be used for matching purposes. All photographs are used for approximate representation only and may not show the actual products on offer. E&OE.